



# Form 1 Development Application

idas INTEGRATED DEVELOPMENT ASSESSMENT SYSTEM

Complete if this application involves assessment against the

## Water Act 2000 For a Watercourse Pump

The completion of all questions on Part K2 of this form is mandatory for all applications involving operational works for taking or interfering with water under the *Water Act 2000*, where the works involve a watercourse pump.

### Resource manager's consent

Completion of this section provides the resource manager's consent to the lodgement of this application. Alternatively provide this information in an attachment to the application.

1. Provide the resource manager's consent

Resource Entitlement Details

Signature of Delegated Officer

Name of Delegated Officer

Delegated Position

Official stamp of the Department of Natural Resources and Mines (NR&M)

Date

### Location details of the works

When identifying the lot and plan details, also indicate whether the works are located directly on or adjacent to the property described (i.e. if the works are to be located in a watercourse adjacent to your property, list your property description and write "adjacent to" in brackets).

2. What is the name of the watercourse within which the works are proposed?

3. Where is it proposed to construct the works?

Lot & plan details *(Attach list if necessary)*

### Existing details

4. Are the works existing? *(Tick applicable box)*

NO  YES

### Proposal details

For Piston based pumps, show the piston stroke and bore sizes.

5. Provide the following details of the proposed / existing pumping unit *(Tick applicable box)*

Pump type  Centrifugal  Helical Rotor  Jet  Submersible  
 Turbine  Piston  Cylinder Pump and Windmill  
 Other *(Specify)* \_\_\_\_\_

Pump size Inlet / Bore (mm)    Outlet / Stroke (mm)

Duty Discharge (l/sec)    Duty Head (m)

Motor type *(Specify)* \_\_\_\_\_

The clearing of vegetation on freehold land may also be assessable under Schedule 8 of IPA or the local government's planning scheme. Guide 12 entitled "Does my application involve vegetation clearing assessable under Schedule 8 of IPA?" will assist in answering this question.

6. Provide details of any vegetation to be cleared

7. Provide details of any filling or excavation proposed in the watercourse, lake or spring

8. Provide details of how the area surrounding the watercourse pump is proposed to be rehabilitated / left after construction is completed

**Referral triggers**  
 This application may trigger referral to an IDAS referral agency. Question 9 helps identify if referral is required.

9. Does the application trigger referral to any IDAS referral agency? *(Tick applicable box) (Use the Referrals Checklist to determine any other possible referrals for this application).*

NO     YES    ***If yes, attach Referrals Checklist***

**Sketch plans**  
 On the plans show the property boundaries, lot and plan descriptions, any existing licensed or permitted works, the position of any streams or roads and any area to be irrigated. This is required to accurately position the location of the pump.

10. Attach, or in the space below provide, sketch plans showing the location of the works.

**Additional comments**

11. Provide any further comments or information relevant to the assessment of the application.


***This application cannot be accepted by the assessment manager unless accompanied by Part A of the Development Application***

OFFICE USE ONLY *(applicable to assessment manager)*

DATE RECEIVED		REFERENCE NUMBER/S	
---------------	--	--------------------	--